

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS M 8720 : 2009

(JISF)

**Iron ores — Determination of
low-temperature
reduction-disintegration**

ICS 73.060.10

Reference number : JIS M 8720 : 2009 (E)

This is a preview. [Click here to purchase the full publication.](#)

M 8720 : 2009

Date of Establishment: 2001-04-20

Date of Revision: 2009-10-20

Date of Public Notice in Official Gazette: 2009-10-20

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Iron and Steel

JIS M 8720 : 2009, First English edition published in 2010-10

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KA/HN

This is a preview. [Click here to purchase the full publication.](#)

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle	2
5 Sampling, sample preparation and preparation of test portions	3
5.1 Sampling and sample preparation	3
5.2 Preparation of test portions	3
6 Apparatus	3
7 Test conditions	4
7.1 General	4
7.2 Reducing gas	5
7.3 Heating and cooling gas	5
7.4 Temperature of the test portion	5
8 Procedure	5
8.1 Number of determinations for the test	5
8.2 Reduction	5
8.3 Tumbling	6
8.4 Sieving	6
9 Expression of results	6
9.1 Calculation of the reduction-disintegration index	6
9.2 Repeatability and acceptance of test results	7
10 Test report	7
11 Verification	8
Annex A (normative) Flowsheet of the procedure for the acceptance of test results	12
Annex JA (informative) Comparison table between JIS and corresponding International Standard	13